# ANXIETY OF MOTHERS BEFORE IUD AND IMPLANT INSERTION

By Masruroh et al

Authors. (Year). Nurse and Health: Jurnal Keperawatan. Volume (Issue): Pages Number <a href="http://ejournal-kertacendekia.id/index.php/nhjk/index">http://ejournal-kertacendekia.id/index.php/nhjk/index</a>

#### Original Research Article

#### ANXIETY OF MOTHERS BEFORE IUD AND IMPLANT INSERTION

Masruroh<sup>1</sup>, Istri Yuliani<sup>2</sup>, Eko Mindarsih<sup>3</sup>, B. Verawati<sup>4</sup>, Ida Rahmawati<sup>5\*</sup>

1.2.3.4Associate's Degree midwifery
 Study Program, Respati University
 Yogyakarta, Indonesia

<sup>5</sup>Nursing Study Program, Tri Mandiri Sakti Health College Bengkulu, Indonesia

#### \*Correspondence: Ida Rahmawati

Nursing Study Program, Tri Mandiri Sakti Health College Bengkulu, Indonesia.

Jl. Hibrida Raya No.3 Bengkulu.

Email: mikaoktarina@gmail.com

### Article Info: Received: Revised: Accepted:

#### DOI

https://doi.org/10.36720/nhjk.v%i%.p%

#### Abstract

**Background:** Long-Term Contraceptive Method (LTC) as one of the effective efforts to space pregnancies. That there is anxiety in prospective Intra Utreine Device (IUD) Keluarga Berencana (KB) acceptors regarding the side effects that may appear after installation, so that it can have a psychological impact. One of the obstacles that causes women of childbearing age to use the IUD method is because of the level of anxiety, worry, and fear. Anxiety in mothers most often occurs in prospective implant acceptors, this is because the procedure will have an impact on the body, namely the mother feels pain, changes in body shape, and worries about the final results of the procedure itself. **Objectives:** to analyze the characteristics and determine the level of anxiety of mothers who accept IUD and Implant KB.

Methods: This research is a descriptive research type. conducted in August-December 2023 at the Isti Yuliani Independent Midwife Practice (PMB). The sample technique in this study used total sampling with 56 respondents. The research instrument with a questionnaire measuring anxiety levels with HRSA with the results of the Cronbach's Alpha test was 0.793 with the number of items 14 items greater than 0.6. The analysis used univariate...

Results: The characteristics of respondents in this study were 100% in the range of Women of Childbearing Age (WCA), the majority completed secondary education as much as 87.5%, had a parity of more than one 80.4%, respondents were unemployed 83.9%, chose the most LTC was IUD 53.6% and the reason respondents came / visited was to remove and at the same time reinstall LTC IUD & Implant. The anxiety in LTC IUD and Implant acceptors before the installation procedure had a mild anxiety level of 42 people (75%) and with a moderate anxiety level of 12 peo 21 (21.4%).

Conclusion: The characteristics of respondents were the age of respondents in the range of WCA, the majority had secondary education, parity of more than one, the majority were unemployed, the most LTC was IUD and the reason respondents came / visited was to remove and at the same time reinstall LTC IUD & Implant. The majority experienced mild anxiety.

Keywords: anxiety, IUD KB acceptors, Implant

© 2024 The Authors. Nurse and Health: Jurnal Keperawatan Published by Institute for Research and Community Service -Health Polytechnic of Kerta Cendekia

E-ISSN 2623-2448 P-ISSN This is an Open Access Ar 4: distributed under the terms of the Creative Commons Attribution – NonCommercial 4.0 (CC BY-NC) 4.0) which allow others to remix, tweak, and build upon the work non-commercial as long as the original work is properly cited. The new creations are not necessarily licensed under the identical terms.

2088-9909

#### INTRODUCTION

Contraceptives are one option for regulating the spacing of pregnancies and the number of children, but have side effects such as irregular menstruation, spotting, bleeding, weight gain, and discomfort during intercourse with the Intra Uterine Device (IUD) and Implant types. (Nur'aini, 2022). These side effects and discomforts can cause worry and anxiety for fertile couples (PUS) to decide on contraceptive installation. Some users of contraceptives in PUS still do not know the side effects of using the device (Sitepu & Pasar 20, 2022).

The Special Region of Yogyakarta is one of the provinces in Indonesia that has quite a lot 27 active family planning participants. Based on data from the Central Statistics Agency (2019), it states that of the five districts in the Yogyakarta Province, the highest use of contraceptives is using injections with 157,734, then the second position is the use of IUD contraception with 92,420 and the third position is the use of condoms with 35,939, while the Implant KB is in fourth position with a total of 28,417 PUS participants. Meanwhile, in Sleman Regency, the majority injections with 46,935, then in turn the use of condoms with 11,646, Implant KB with 5,825, MOW with 5,779 (BPS DIY, 2019).

The Long-Term Contraceptive Method (LTC) is highly recommended by the government as one of the more effective efforts to space pregnancies for family welfare. MKJP is a contraceptive device or drug that aims to prevent pregnancy for the long term because it has a high level of efficiency in preventing pregnancy. Many factors influence the use of MKJP both in terms of programs related to the availability of services, in terms of the environment related to the role of people closest to them,

and the mass media in providing information and in terms of each individual as a service user. The use of LTC is greatly influenced by individual factors, because the decision to use or not to use a type of contraception is at the individual level (BKKBN, 2020).

Previous studies have shown that there is anxiety in prospective IUD acceptors related to the side effects that may arise after installation, which can have a psychological impact. One of the obstacles that causes women childbearing age to use the IUD method is because of the level of anxiety, worry, and fear (Akdemir & Karadeniz, 2020; Taufigoh, Ainiyah, & Hajri, 2021). Other studies related to anxiety in mothers of prospective KB acceptors also occur in prospective KB Implant acceptors, this is due to procedural anxiety, namely a concern about what will happen and what will be felt during a procedure and outcome anxiety is a concern about the results or consequences of a procedure (Rasyid, 2019).

Several actions to reduce the anxiety of prospective KB acceptors have been widely carried out. Among them are by using complementary actions, complementary therapy services are an important part of health services. The meaning of complementary itself is a complementary service to biomedical health services. This complementary service has been implemented in the United States and other countries. Some of the reasons put forward by the community regarding the of complementary therapy include the holistic philosophy of complementary therapy, namely the existence of harmony within and health promotion in complementary therapy.

Another reason is be use clients want to be involved in decision-making in treatment and improving quality of life compared to before. A total of 82% of clients reported side effects from conventional treatment received, so they decided to choose complementary (Widyatuti, 2008)

Complementary/nonpharmacological therapies used to reduce include hypnotherapy, aromatherapy, music therapy and massage. Massage is a touch that is done on certain parts of the body so that it can reduce muscle tension and improve blood circulation, with simple pressure or massage of blood flow at reflex center points and reflexology on the hands can reduce anxiety in pre-operative pati 24s (Çavdar, Yılmaz, & Baydur, 2020). The results of the study showed that hand massage can reduce anxiety in patients waiting for outpatient surgery outpatient procedures. This nonpharmacological intervention has a very low risk or almost no risk to the client as long as it is given to overcome anxiety (Brand, Munroe, & Gavin, 2013). The difference between this study and previous studies is that hand massage is planned to be carried out on prospective KB participants with the MKJD IUD and Implant methods.

#### **METHODS**

Study Design

This research design uses descriptive. *Setting* 

The location of the study was at the Praktik Bidan Mandiri (PMB) Istri Yuliani was carried out in August - December 2023. *Research Subject* 

The population in this study were MKJP IUD and Implant acceptors at PMB Istri Yuliani in August - December. The number of respondents was 56 people, the sampling technique used total sampling.

Instruments

The research instrument with a questionnaire measuring the level of anxiety with HRSA (adopted) with the results of the Cronbach's Alpha test being 0.793 with a total of 14 items greater than 0.6.

Data Analysis

Data analysis using Univariat.

Ethic 23 Consideration

This study received Ethical Eligibility from the Health Research Ethics Committee of Dr. Moewardi Hospital with number 1.810 / X / HREC / 2023.

#### RESULTS

a. Characteristics

Table 1. Respondent Characteristics

		Percentag
Characteristics	Frequenc	e
	y	
	(n)	(%)
Age		
WCA	26	46,4
Non WCA	30	53,6
Total	56	100.0
Education		
Higher Education	7	12.5
Secondary	49	87.5
Education		
Total	56	100.0
Parity		
Multipara	45	80.4
Primipara	11	19.6
Total	56	100.0
Occupation		
Working	9	16.1
Not Working	47	83.9
Total	56	100.0
Type of LTC		
Inplan	26	46.4
IUD	30	53.6
Total	56	100.0
Reason for Visit		
Removal/replacemen	32	57.1
t	24	42.9
Installation	56	100.0
Total	56	100.0

The characteristics of the respondents in this study were 100% or all respondents in the range of Women of

Childbearing Age (WCA), the majority completed secondary education as much as 87.5%, had a parity of more than one 80.4%, the majority of respondents were unemployed 83.9%, chose the most LTC was IUD 53.6%.

b. Acceptor Anxiety Before IUD / Implant Installation

Table of Acceptor Anxiety of IUD and Implant

		K	3		
				** ** 1	Cumu lative
		_		Valid	Perce
		F	%	Percent	nt
Valid	none	2	3.6	3.6	3.6
	mild	42	75.0	75.0	78.6
	modera te	12	21.4	21.4	100.0
	Total	56	100.0	100.0	

#### DISCUSSION

1. Analyzing the characteristics of prospective acceptors of LTC IUD and Implant

Long-term contraceptive methods (LTC) are contraceptives that can be used for more than two years, contraceptives that are classified as LTC include Implants, IUDs, MOW, and MOP (Rifkiyah et al., 2022). The characteristics of respondents in this study were all in the age range of Women of Childbearing Age (WCA), with the majority having secondary education with more than one parity and the majority of respondents not working. The most common use of LTC is IUD. These results are in accordance with the theory that states that couples of childbearing age are highly recommended to use long-term contraception, one of which is IUD and Implant. Because IUDs are considered effective in spacing out pregnancies for long-term contraception. (Pratami, 2021). Apart from that, this method also has advantages such as being able to end

pregnancy in couples of childbearing age who no 22 ger want to have children, this method covers a long duration and works for up to 10 years. (Rifkiyah et al., 2022).

 Analyzing the anxiety of prospective LTC IUD and Implant acceptors before the installation

The anxiety felt by IUD KB acceptors is due to an increase in progesterone and adrenaline hormones which cause emotional disturbances and cause bleeding during the IUD installation process (Asmalinda, Novita, & Setiawati, 2021; Rustini & Tridiyawati, 2022). The results of this study found that the anxiety of LTC IUD and Implant acceptors before the installation procedure mostly had mild anxiety levels and 21.4% had severe anxiety levels.

The anxiety experienced 28 IUD KB acceptors before installation is in line with the results of previous studies which stated that the level of anxiety in IUD KB acceptors in the severe anxiety category reached 50% of acceptors and there was a relationship between the level of acceptor anxiety and the choice (Anggara, 2015)of IUD contraception. This anxiety decreased after the IUD KB acceptors had completed the installation, only experiencing mild anxiety (Shintia Mutiara Pohan et al., 2022). Other studies show that maternal anxiety will decrease when installing contraception because they have a good educational background, family planning to decide on contraception, and explanations from health workers regarding the types of contraception (Budiapsari, Putu Arya Survanditha, Ngurah Yogi Prasta, & I Wayan Darwata, 2023).

#### CONCLUSION

Characteristics of respondents: Respondents' age is in the range of Women of Fertile Age (WCA), the majority have secondary education, parity is more than one, the majority do not work, the most MKJP is IUD and the reason respondents come / visit is to remove and reinstall LTC IUD & Implant. The majority experience mild anxiety.

#### SUGGESTIONS

Most IUD acceptors still experience anxiety, so health promotion and education are very important to increase acceptance of long-term contraception and reduce anxiety.

#### ACKNOWLEDGMENT

Thank you to Universitas Respati Yogyakarta, the research location, respondents, and related parties who have helped a lot in this research.

### DECLARATION OF CONFLICTING INTEREST

There is no conflict of interest in this study.

#### **FUNDING**

This research was funded by Universitas Respati Yogyakarta.

#### **AUTHOR CONTRIBUTION**

Each author contributes to the completion of the article.

29RCID Author 1 None

Author 2
None

Author 3
None

Author 4 Ida Rahmawati http://orcid.org/0000-0001-7401-6214

#### **EFERENCES**

Akdemir, Y., & Karadeniz, M. (2020). A psychological factor associated with pain during intrauterine device insertion: Emotional reactivity. Clinical and Experimental Obstetrics and Gynecology, 47(3), 335–340. https://doi.org/10.31083/J.CEOG.2020.03.2073

Anggara, V. S. P. (2015). Hubungan
Tingkat Kecemasan Aksepto dengan
Pemilihan Kontrasepsi IUD di PKD
Kaaamongan Srumbung Magelang.
Yogyakarta: Universitas 'Aisyiyah
Yogyakarta. Retrieved from
https://digilib.unisayogya.ac.id/802/1/
publikasi vera.pdf

Asmalinda, W., Novita, N., & Setiawati, D. (2021). Optimalisasi Kesehatan Ibu Hamil mengunakan Video E-Learning Relaksasi Autoger pada Kelas Ibu Hamil. *Jceh.Org*, 4(1), 175–181. Retrieved from https://www.jceh.org/index.php/JCE H/article/vie 17, 39

BKKBN. (2020). Metode Kontrasepsi Jangka Panjang (MKJP) Lebih Efektif dan Aman. Jakarta: BKKBN. 31 trieved from https://kampungkb.bkkbn.go.i/17 amp ung/29507/intervensi/335199/metode -kontrasepsi-jangka-panjang-mkjplebih-efektif-

BPS DIY. (2019). Jumlah Pasangan Usia Subur dan Peserta KB Aktif Menurut Kabupaten/Kota di D.I. Yogy 30 rta, 2019. Yogyakarta. Retrieved from https://yogyakarta.bps. 10 id/id/statisti cs-table/1/MTQ0IzE=/jumlah-pasangan-usia-subur-dan-peserta-kb-aktif-menurut-kabupaten-kota-di-d-i-yogyakarta-2019-.html

Brand, L. R., Munroe, D. J., & Gavin, J. (2013). The Effect of Hand Massage on Preoperative Anxiety in Ambulatory Surgery Patients. *AORN Journal*, 97(6), 708–717.

https://doi.org/10.1016/j.aorn.2013.04 .003

Budiapsari, P. I., Putu Arya Suryanditha, Ngurah Yogi Prasta, & I Wayan Darwata. (2023). Influencing Factors of Contraception Use among Women in the Mengwi II Community Health Center. *Jurnal Kedokteran*, 9(1), 48– 54.

> https://doi.org/10.36679/kedokteran.v 9i1.57

Çavdar, A. U., Yılmaz, E., & Baydur, H. (2020). The Effect of Hand Massage Before Cataract Surgery on Patient Anxiety and Comfort: A Randomized Controlled Study. *Journal of Perianesthesia Nursing*, 35(1), 54–59.

https://doi.org/10.1016/j.jopan.2019.0 6.012

Nur'aini, L. D. (2022). Gambaran Tingkat Kecemasan Istri terhadap Pemakaian Alat Kontrasepsi Suntik, IUD, dan Implant. Pono: Institut Agama Islam Negeri (IAIN) Ponorogo. Retrieved from

https://etheses.iainponorogo.ac.id/208 42/

Pratami, I. M. (2021). Hubungan antara Karakteristik Pasangan Usia Subur dengan Pemilihan Alat Kontrsepsi IUD di Puskesmas Losari Kecamatan Losari Kabupaten Brebes tahun 2018. *Journal of Nursing* 26 uctice and Education, I(Juni), 141–149. https://doi.org/10.34305/JNPE.V112.2

Rasyid, P. S. (2019). Pengaruh Pemberian Informasi Prosedur Pemasangan Implant Terhadap Tingkat Kecemasan Calon Akseptor Implant di Kota Gorontalo. *Jurnal Nasional Ilmu Kesehatan*, 1(3), 15–27.

Rifkiyah, N., Ciselia, D., Yunola, S., Kader Bangsa Palembang, U., Jl Mayjen Ryacudu No, I. H., Seberang Ulu, K. I., ... Selatan Kode, S. (2022). Faktor yang Berhubungan dengan Pemilihan Metode Kontrasepsi Jangka Panjang (MKJP) pada Pasangan Usia Subur (PUS) di Kabupaten Oku Tahun 2020.

Indonesian Journal of Nursing Health Science ISSN, 7(1), 43–52.

Rustini, N., & Tridiyawati, F. (2022).

Rustini, N., & Tridiyawati, F. (2022).

Efektifitas Relaksasi Slow Deep
Breathing Dan Relaksasi Benson
Terhadap Penurunan Intensitas Nyeri
Pada Pasien Post Sectio Caesarea.

Malahayati Nursing Journal, 4(3),
683–692.

https://doi.org/10.33024/mnj.v4i3.606

Shintia Mutiara Pohan, M., Manurung, Y., Fauziah Harahap, I., Yanti Harahap, R., Zahara Harahap, Y., Kebidanan Paluta Husada, A., ... Rahim ademi Kebidanan Paluta, R. (2022). The Relationship of Mother's Anxiety Level and Husband's

Support With IUD Selection in Binanga Health Center. *Ejournal Ipinternasional Com*, 1(2), 126–132.

https://doi.org/10.55299/ijphe.v1i2.10

11 4

Sitepu, J., & Pasaribu, A. (2022). Hubungan Efek Samping dengan Kecemasan Akseptor KB Suntik 3 Bulan. *Jambura Health and Sport Journal*, 4(1), 37–43. https://doi.org/10.37311/jhsj.v4i1.135

Taufi (25), S., Ainiyah, N. H., & Hajri, F. (2021). Pengaruh Hypnosis Terhadap lecemasan Pada Calon Akseptor Iud. *Jurnal Sains Dan Seni ITS*, 6(1), 51–66. Retrieved from http://repositorio.unan.edu.ni/2986/1/5624.pdf%0Ahttp://fiskal.kemenkeu.go.id/ejournal%0Ahttp://dx.doi.org/10.1016/j.cirp.2016.06.001%0Ahttp://dx.doi.org/10.1016/j.powtec.2016.12.055%0Ahttps://doi.org/10.1016/j.ijfat

igue.2019.02.006%0Ahttps://doi.org/

12(1), 53-57. https://doi.org/10.7454/jki.v12i1.200

16 10.1 Widyatuti, W. (2008). Terapi Komplementer Dalam Keperawatan. Jurnal Keperawatan Indonesia,

Cite this article as: Authors. (Year). The relationship between parents' educational patterns and decision-making abilities in nursing students. Nurse and Health: Jurnal Keperawatan, Volume (Issue), Pages Number. https://doi.org/10.36720/nhjk.v%i%.p%

## ANXIETY OF MOTHERS BEFORE IUD AND IMPLANT INSERTION

**ORIGINALITY REPORT** 

24%

SIMILARITY INDEX

Crossref

SIMILA	RITY INDEX		
PRIM <i>A</i>	RY SOURCES		
1	ejournal.undiksha.ac.id Internet	60 words —	2%
2	ejournal.ipinternasional.com Internet	49 words —	2%
3	jurnal.unai.edu Internet	48 words —	2%
4	SCLEROLOGY PROFILE MONITORING FOR	43 words —	1%
	MANAGING CHEST PAIN AT HOME WHILE AVOIDING ADMISSION DURING THE COVID-19 PANDEMIC: A CA		

Hülya Saray KILIÇ, Neşe Mercan. "The Relationship Between Cognitive Intrusion of Pain, Fear of Surgery, and Comfort", Pain Management Nursing, 2024

STUDY", Belitung Nursing Journal, 2020

LN Azizah, Mashuri, Z Abidin. "Study of the use of Binahong (Anredera cordifolia) herbal as complementary treatment wounds in the Tenger Tribe", IOP Conference Series: Earth and Environmental Science, 2022

7	repository.unhas.ac.id Internet	36 words — <b>1</b> %
8	stikes-nhm.e-journal.id Internet	34 words — <b>1</b> %
9	jceh.org Internet	33 words — <b>1</b> %
10	www.balimedicaljournal.org	33 words — <b>1</b> %
11	ejournal.sisfokomtek.org Internet	31 words — <b>1</b> %
12	Sunarti Lubis, Merisa Rizki, Elis Priyanti. "Faktor - faktor yang Berhubungan dengan Pemilihan Kontrasepsi Iud di Puskesmas Sungai Jambat Kecam Kabupaten Tanjung Jabung Timur Provinsi Jambi", Ju 2023 Crossref	
13	proceeding.unisayogya.ac.id Internet	27 words — <b>1%</b>
14	agricecon.agriculturejournals.cz	24 words — <b>1%</b>
	Internet	
15	jurnal.undhirabali.ac.id Internet	24 words — <b>1</b> %
<ul><li>15</li><li>16</li></ul>	jurnal.undhirabali.ac.id	



17 words — **1%** 

doaj.org

- $_{13 \text{ words}}$  < 1%
- Dionius B. Mahamboro, Nelsensius K. Fauk, Paul R. Ward, Maria S. Merry, Theodorus A. Siri, Lillian Mwanri. "HIV Stigma and Moral Judgement: Qualitative Exploration of the Experiences of HIV Stigma and Discrimination among Married Men Living with HIV in Yogyakarta", International Journal of Environmental Research and Public Health, 2020
- Sutrisno Sutrisno, Nursalam. "The Effect of Benson and Autogenic Relaxation Therapy on Sleep Quality, Blood Pressure and Anxiety of Hypertension Patients", Journal Of Nursing Practice, 2022

  Crossref
- Tatik Dwiyani, Raisyah Ansakawirus, Mutiara Ayu Muthitulsalimah, Agus Rahmadi. "Literature Review: The Relationship of Knowledge and The Selection of Long-Acting Contraceptive Methods", Jurnal Ners dan Kebidanan (Journal of Ners and Midwifery), 2023 Crossref
- e-journal.unair.ac.id
  Internet

  11 words < 1 %
- www.cmjpublishers.com
  Internet

  www.cmjpublishers.com
  10 words < 1 %
- scholar.google.co.id
  Internet

  9 words -<1%



- A.H.G. Kusumah, C.U. Abdullah, D. Turgarini, M. Ruhimat, O. Ridwanudin, Y. Yuniawati. "Promoting  $^{8}$  words <1% Creative Tourism: Current Issues in Tourism Research", CRC Press, 2021
- Satyendra Kumar Sharma, Praveen Goyal, Udayan 8 words < 1 % Chanda. "Handbook of Evidence Based Management Practices in Business", Routledge, 2023
  Publications
- www2.mdpi.com
  8 words < 1%
- Guardian Yoki Sanjaya, Lutfan Lazuardi, Mubasysyir Hasanbasri, Hari Kusnanto. "Using Hospital Claim Data to Develop Referral Decision Support Systems: Improving Patient Flow from The Primary Care", Procedia Computer Science, 2019

  Crossref
- Luh Putu Widiastini, I Gusti Agung Manik Karuniadi, Luh Gede Susila Dewi. "Factors Associated with Post Placental Intrauterine Device (IUD) Use", Jurnal Ilmu dan Teknologi Kesehatan, 2024